



Dermal Fillers for Dental Professionals



Library of Congress Cataloging-in-Publication Data

Names: Garg, Arun K., 1960- author. | Rossi, Renato, Jr. author.

Title: Dermal fillers for dental professionals / Arun K. Garg, Renato Rossi, Jr.

Description: Batavia, IL : Quintessence Publishing Co, Inc, [2021] | Includes bibliographical references and index. | Summary: "In-depth clinical manual covering everything dental providers need to know to provide dermal filler treatment, including specific filler products, skin anatomy review, and a step-by-step guide on specific procedures accompanied by case examples"-- Provided by publisher.

Identifiers: LCCN 2020050330 (print) | LCCN 2020050331 (ebook) | ISBN 9780867158304 (hardcover) | ISBN 9781647240714 (ebook)

Subjects: MESH: Dermal Fillers | Cosmetic Techniques | Esthetics, Dental | Injections, Subcutaneous--methods | Dermatologic Surgical Procedures

Classification: LCC RK54 (print) | LCC RK54 (ebook) | NLM WE 705 | DDC 617.6--dc23

LC record available at <https://lccn.loc.gov/2020050330>

LC ebook record available at <https://lccn.loc.gov/2020050331>



© 2021 Quintessence Publishing Co, Inc

Quintessence Publishing Co, Inc
411 N Raddant Road
Batavia, IL 60510
www.quintpub.com

5 4 3 2 1

All rights reserved. This book or any part thereof may not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, or otherwise, without prior written permission of the publisher.

Editor: Marieke Zaffron
Design: Sue Zubek
Production: Sarah Minor

Printed in the United States



DERMAL FILLERS

for Dental Professionals

Arun K. Garg, DMD

Private Practice
Miami, Florida

Former Professor of Surgery
Division of Oral and Maxillofacial Surgery
Miller School of Medicine
University of Miami
Miami, Florida

Renato Rossi, Jr, DMD, MSc, PhD

Director
Oral and Maxillofacial Surgery Residency Program
University of São Caetano do Sul

Private Practice Limited to Oral and
Maxillofacial Surgery and Oral Pathology
São Paulo, Brazil

 **QUINTESSENCE PUBLISHING**

Berlin | Chicago | Tokyo
Barcelona | London | Milan | Mexico City | Moscow | Paris | Prague | Seoul | Warsaw
Beijing | Istanbul | Sao Paulo | Zagreb



Contents

preface *v*

SECTION I: Getting Started with Dermal Filler Treatment

- 1 Dermal Fillers: What Every Dentist Should Know *3*
- 2 Anesthesia for Dermal Filler Injections *11*
- 3 Dermal Filler Selection *19*
- 4 Preventing, Avoiding, and Managing Complications *29*
- 5 Esthetic Consultation and Treatment Plan *41*
- 6 Dermal Microneedling *55*
- 7 Planes of Injection and Injection Techniques *69*

SECTION II: Step-by-Step Procedures

- 8 Green-Light Procedures *79*
- 9 Yellow-Light Procedures *107*
- 10 Red-Light Procedures *133*

index *195*



Preface

This book presents a clinical experience–based framework for the incorporation of dermal fillers for facial rejuvenation procedures into a general dental practice or dental specialty practice. These procedures are a natural progression in the evolution of cosmetic dentistry. The dentist’s and dental specialist’s existing skill set of esthetic assessment, administration of local anesthesia, and making patients comfortable in the office setting make this type of treatment fairly easy to incorporate into the practice routine.

Today, providing dermal filler and/or cosmetic neurotoxin injections is permitted by an overwhelming majority of the state dental licensing boards in the United States and abroad. What’s more, the American Dental Association and state associations have been sponsoring courses that train dentists in these procedures for many years. And why not? Under U.S. medical licensing guidelines, any physician with a medical degree from an accredited institution—regardless of specialty—can offer cosmetic facial injections as a service to their patients with no additional training. Does anyone really believe that the average obstetrician or rheumatologist has greater expertise in facial anatomy than a dentist? What about estheticians? In some states, an individual with no medical education can take a weekend course and then give facial injections, provided they are under the “delegation” of a physician.

Dental training and skills make the group exceedingly well qualified to provide safe and esthetically pleasing

dermal filler injections. Like most dental procedures, administering facial injections for cosmetic purposes requires a combination of excellent technical and artistic skills, as well as comprehensive understanding of head and neck anatomy and knowledge of current materials and treatment modalities.

We are certainly not suggesting that the average dentist or dental specialist does not require additional training to learn how to select an appropriate dermal filler product, practice safe facial injection techniques, or prevent complications. On the contrary, our goal in writing this book is to provide the information that the dental clinician needs—and none of the information that dentists, by virtue of their training, already possess—to become qualified providers in the highly rewarding (and potentially lucrative) area of facial rejuvenation.

The scope of dental and dental specialty practice has never been static. The purpose of this book is not to promote the need for all dentists and dental specialists to provide these cosmetic services. But rather the objective is to present how numerous dermal filler procedures can be successfully and safely incorporated into an existing practice using the model that we, as both practicing clinicians and academicians, have developed and taught to hundreds of others over many years.



Section I: Getting Started with Dermal Filler Treatment

1



DERMAL FILLERS: WHAT EVERY DENTIST SHOULD KNOW

The term *facial rejuvenation* refers to several different categories of treatments designed to improve the appearance of the face: plastic surgery such as rhinoplasty, blepharoplasty, and rhytidectomy; less invasive procedures such as dermal abrasions and chemical peels; and the growing list of minimally invasive therapies, including laser skin resurfacing, microdermabrasion, neurotoxin injections, and dermal filler injections (Fig 1-1). In 2019, the American Society of Plastic Surgeons reported that from 2000 to 2018, the number of facelift surgeries declined 9%, while the number of neurotoxin injections increased an astronomical 845%. Similarly, dermal filler treatments have increased 244% since 2006, the first year for which data were collected (Table 1-1).¹ As these numbers demonstrate, neurotoxins and dermal fillers have radically changed the market for facial rejuvenation procedures in the United States, and this trend will continue to increase at least for the next several years.

Some of the reasons for this trend are obvious. Neurotoxins such as Botox Cosmetic (Allergan) and Dysport (Galderma) and dermal fillers can usually be administered in less than an hour, produce effects that are apparent immediately or within days, and require little or no downtime. Moreover, these esthetic enhancements are subtle enough not to attract attention and thus can be undertaken discreetly, which many people appreciate. Indeed, the intent of these procedures is not to make a person look 20 years younger but rather for them to appear more radiant and refreshed at their present age (Fig 1-2).

Unlike surgical procedures, neurotoxin and dermal filler treatments are luxuries that fit many budgets. At an average cost of





Facial cosmetic procedure trends in the United States since 2000*

Procedure	2018	2000	Change
Facelift (rhytidectomy)	121,531	133,856	-9%
Nose reshaping (rhinoplasty)	213,780	389,155	-45%
Eyelid surgery (blepharoplasty)	206,529	327,514	-37%
Botulinum toxin type A [†] injection	7,437,378	786,911	+845%
Soft tissue fillers [‡] injection	2,676,970	778,000 [§]	+244%

*Data from the American Society of Plastic Surgeons.¹
[†]Includes Botox (Allergan), Dysport (Galderma), and Xeomin (Merz North America).
[‡]Includes all commercial dermal fillers as well as platelet-rich plasma and acellular dermal matrix.
[§]Number of procedures in 2006, the year data was first reported.

FIG 1-1 Facial rejuvenation is a term that encompasses esthetic procedures in plastic surgery, nonsurgical procedures such as dermal abrasion and chemical peeling, and minimally invasive procedures such as neurotoxin and dermal fillers.



FIG 1-2 The effects of neurotoxin and dermal filler treatments are subtle and appear natural, unlike plastic surgery procedures.

\$397 and \$682 per site for neurotoxin and dermal filler (eg, Juvéderm, Allergan) injections, respectively, these treatments are comparable to the cost of tooth whitening or a day at the spa. Compare those numbers to the average cost of a simple rhinoplasty (\$5,350) or dermabrasion (\$1,250).¹ The relative affordability of minimally invasive procedures makes them appealing to people at all income levels, including those who likely would never consider seeking surgical treatment to address their age-related esthetic concerns.

Based on popular stereotypes, many readers might assume that middle-aged women are the ones primarily driving this trend. Not so. The “daddy do-over” has been quietly gaining in popularity for several years, and the average age of patients skews younger all the time as more 20- and 30-somethings seek dermal filler treatment for acne scars, nose recontouring, lip augmentation, and other cosmetic enhancements. In 2018, individuals aged 20–39 made up 18% of all neurotoxin injections and 11% of dermal filler treatments.¹



FIG 1-3 Neurotoxins target the dynamic lines and folds of facial expression.



FIG 1-4 Dermal fillers target the static lines and wrinkles that are manifestations of aging on skin.

NEUROTOXINS AND DERMAL FILLERS: UNDERSTANDING THE DIFFERENCES

Currently, there are approximately three neurotoxin procedures for every dermal filler procedure performed in the United States (7.4 million vs 2.6 million).¹ Botox, the first commercially available neurotoxin, was initially developed and gained FDA approval in 1989 as a therapeutic agent for the treatment of strabismus, an eye muscle disorder. Today, many dentists use Botox therapeutically to treat patients suffering from temporomandibular joint pain related to clenching and bruxing and to relax the upper lip in patients who have a gummy smile. Botox Cosmetic was not FDA approved until 2002, just shortly before the approval of the first hyaluronic acid dermal filler in 2003.

Dynamic versus static wrinkles

Although the aim of these injectable agents is the same—to smooth facial wrinkles—they use different mechanisms of action to achieve it. Cosmetic neurotoxin targets the *dynamic* lines of expression that result from repetitive facial

movement (Fig 1-3). It is injected directly into the muscles that animate these types of wrinkles, including frown lines, crow's feet, and forehead creases. The muscles become paralyzed, and within 2 to 3 days, the lines and wrinkles disappear. These effects last an average of 3 to 4 months.

Unlike neurotoxins, dermal fillers target *static* wrinkles, the ones we develop over time as we age (Fig 1-4). These static wrinkles are present regardless of facial expression and usually accompany other visible effects of aging, such as hollowed cheeks and eye sockets, irregular or blotchy pigmentation, skin laxity, and dryness. These facial manifestations of intrinsic aging are a result of reduced collagen production and slower cell turnover rates. (Their appearance can, however, be accelerated by extrinsic factors such as chronic sun exposure and smoking.) Intrinsic aging is a natural consequence of physiologic changes over time that occur at variable yet genetically determined rates. In some lucky people, these lines, wrinkles, and folds do not make an appearance until they reach 55 or 60 years old, whereas others begin to see them in their late 30s and 40s, but for all of us they are an inevitable effect of aging.

Nevertheless, we spend billions of dollars each year on expensive elixirs and procedures in our never-ending quest to prevent and diminish the visible signs of aging on our

Copyright
Not for publication

TABLE 1-2 Costs and total expenditures of the multibillion-dollar industry to combat aging*

Procedure	National average surgeon/physician fee	Total expenditure
Cosmetic surgical procedures		
Cheek implant (malar augmentation)	\$3,015	\$43,322,535
Chin augmentation (mentoplasty)	\$2,364	\$38,769,600
Dermabrasion	\$1,249	\$100,790,553
Ear surgery (otoplasty)	\$3,163	\$72,382,092
Eyelid surgery (blepharoplasty)	\$3,156	\$651,805,524
Facelift (rhytidectomy)	\$7,655	\$930,319,805
Forehead lift	\$3,623	\$140,554,285
Lip augmentation (other than injectable materials)	\$1,767	\$54,527,853
Lip reduction	\$2,009	\$2,147,621
Neck lift	\$5,424	\$280,819,182
Nose reshaping	\$5,350	\$1,143,723,000

*Data from the American Society of Plastic Surgeons.¹




FIG 1-5 Some dermal filler products stimulate the production of collagen and elastin to diminish the appearance of lines and wrinkles. (a) Before application of dermal filler. (b) After application of dermal filler.

skin. And every year, the industry expands with new agents and modalities added to the long list of topical medical products (vitamin A acid, α -hydroxy acids, antioxidants, and moisturizers) and procedures (glycolic acid peels, deep peels, dermabrasion, laser resurfacing, and plastic surgery) already available (Table 1-2).

In this book, we focus exclusively on the treatment of static wrinkles associated with aging using FDA-approved commercial dermal fillers and autologous serum-derived agents. As detailed in chapter 3, choosing a dermal filler requires an understanding of how its constituent components interact with the body. Broadly speaking, dermal fillers achieve their effects by one of two mechanisms of action. A *stimulator* works to reverse the loss of hydration and elasticity in the skin by inducing the production of new collagen (Fig 1-5), whereas a *volumizer* provides immediate volume replacement to smooth the appearance of

TABLE 1-2 (CONT) Costs and total expenditures of the \$1.5-billion industry to combat aging

Procedure	National average surgeon/physician fee	Total expenditure
Cosmetic minimally invasive procedures		
Botulinum toxin type A (Botox, Dysport, Xeomin)	\$397	\$2,952,639,066
Chemical peel	\$669	\$926,114,763
Injection lipolysis (eg, Kybella [Allergan])	\$1,054	\$67,448,622
Intense pulsed light (IPL) treatment	\$391	\$264,140,832
Laser hair removal	\$285	\$307,084,650
<i>Laser skin resurfacing</i>		
Ablative	\$2,071	\$332,878,043
Nonablative (Fraxel [Solta Medical], etc)	\$1,144	\$495,961,752
Microdermabrasion	\$131	\$92,933,103
Nonsurgical skin tightening (Pelleve [Cynosure], Thermage [Solta Medical], Ultherapy [Ulthera])	\$2,059	\$690,362,110
<i>Soft tissue fillers</i>		
Acellular dermal matrix	\$2,065	\$17,707,375
Calcium hydroxyapatite (Radiesse [Merz North America])	\$691	\$157,018,694
Fat-face	\$2,126	\$96,435,360
Hyaluronic acid (eg, Juvéderm Ultra, Ultra Plus, Voluma, Volbella, and Vollure, Restylane Lyft and Silk [Galderma], Belotero [Merz North America])	\$682	\$1,451,925,486
Platelet-rich plasma (PRP)	\$683	\$87,010,102
Poly-lactic acid (Sculptra [Galderma])	\$915	\$111,556,800
Polymethyl-methacrylate microspheres (Bellafill [Suneva Medical])	\$889	\$15,614,396
Total 2018 expenditures		\$16,507,440,034




FIG 1-6 Other dermal filler products are designed to add volume to sunken skin as a way to smooth the appearance of fine lines and wrinkles. (a) At the start of application of dermal filler. (b) After application of dermal filler.

fine lines and wrinkles (Fig 1-6). Many products combine these mechanisms of action in one agent. With dozens of commercial products to choose from, it is incumbent on clinicians to understand how their physicochemical properties affect their performance in terms of biocompatibility, longevity, and other clinical considerations, all of which are discussed in chapter 3.

OVERCOMING OBSTACLES

As more dentists (and specialists from other medical fields) begin to compete for patients in the lucrative facial rejuvenation market, they face growing opposition from the so-called core physicians in the medical esthetic field—namely board-certified cosmetic dermatologists and plastic surgeons. Those in support of this trend argue that dentists are better qualified to perform dermal filler procedures than most physicians: They are experts in the facial musculature, are proficient in administering local anesthesia, routinely encounter the most common adverse events (ie, pain, swelling, inflammation) in their daily practice, and have a fine-tuned esthetic sensibility. Those opposed assert that dentists lack the knowledge and training to achieve the types of results that patients demand and are woefully unprepared to respond to the most serious complications, which can result in blindness or death.

Ultimately, the decision is a personal one. The following are some important issues to consider.

Legal considerations

A decade ago, the idea of dentists becoming providers of facial rejuvenation therapy would have raised a lot of eyebrows, not only within professional dental associations but also among rank-and-file dentists. However, it appears that attitudes have changed. Today, a majority of state dental licensing boards allow dentists to perform dermal filler and Botox procedures for general esthetic and therapeutic purposes. Some of the states that permit dentists to perform these services limit their scope, stipulating that they must be delivered as part of a dental treatment plan and not as a standalone procedure. Others have outlined specific regulations or certification requirements that dentists must meet before they can offer these services. And yes, a small number of states still consider them outside the scope of dental practice and prohibit them altogether.

Moreover, the American Dental Association, dentistry's national governing body with more than 163,000 members, has been providing and sponsoring continuing education in both neurotoxin and dermal filler injection procedures to general dentists and specialists alike for many years. Can there be any doubt that these procedures—like tooth whitening 20 years ago—will become a standard part of mainstream dentistry and eventually practiced throughout the United States? Check with your state dental board if you do not know the rules and regulations in your state before making your decision.

Another question relevant to state regulations has to do with malpractice insurance. If your dental liability malpractice insurance does not cover dermal filler procedures, you

are strongly advised to find a third-party carrier who will accept a rider policy to protect you in the event of a liability claim. You will also influence your thinking.

Ethical considerations

While the boundaries separating general and specialty practices are fading, both in medicine and dentistry, even some dentists question whether their training adequately prepares them to administer cosmetic facial injections. After all, don't dermatologists undergo rigorous training to specialize in these procedures?

Actually, many dermatology and plastic surgery programs provide minimal training in dermal filler procedures. The Accreditation Council for Graduate Medical Education (ACGME) requires dermatology residents to “demonstrate knowledge of the indications, contraindications, complications, and basic techniques of” many popular cosmetic procedures (including dermal fillers), and to “perform or observe” five dermal filler procedures.² (Dermatologists who complete a fellowship in esthetic medicine are a different story.) Moreover, according to the American Academy of Facial Esthetics, dermal filler procedures are routinely performed by physicians trained in obstetrics and gynecology, ophthalmology, gastroenterology, internal medicine, and podiatry as well as registered nurses, physicians' assistants, and so-called medical estheticians.³ A strong argument can be made that dentists have more knowledge and training in the anatomy, biochemistry, and physiology of the head and neck than any of these providers.

Practical considerations

There are important practical questions to ask yourself before making your decision. For example, how would adding esthetic facial therapy to your practice affect your personal brand? A practice that already promotes smile makeovers, tooth whitening, and other cosmetic services will find it easier than one that promotes holistic therapies, for instance. Similarly, your current patient demographics should be an important factor in your decision. Is your practice family-oriented with an emphasis on conservative treatment? Or is it more spa-like, appealing to patients who like to be pampered with personal music devices and the like? And don't forget to factor in your competition. Is there another dental practice in your area offering filler treatments? That could have a big impact on your decision one way or another. If there is a

Finally, do not underestimate the importance of gaining buy-in from both your front and back office staff. It is vital that all members of the staff receive training in how the procedures work, what they cost, the amount of time to schedule for appointments, the materials required, and how to incorporate them into operating systems. Your patients' first line of contact is your front office staff, so they will need scripts to help them answer questions about the treatments.

One effective way to engage your staff in the new service is to treat them (and even their family members) at no cost. Staff treatment sessions are a win-win: Employees cannot help but take a personal interest in the new procedures, and you get more opportunities to practice your injection techniques. A huge bonus is that your employees can share their own experiences with current and prospective patients and become true advocates of the new service.

All of these considerations must be weighed against the potential benefits of adding facial rejuvenation treatments to your practice portfolio.

RETURN ON INVESTMENT

A standard dental operatory is suitable for performing cosmetic dermal filler injections and requires no retooling or purchase of special equipment. And at \$500 to \$600 per procedure, these services are not only profitable but can have a dramatic impact on practice production. Investment costs, on the other hand, are negligible. The practice management software may have to be updated and new forms and letterhead printed. Inventory costs will rise with the need to stock filler products. As described previously, staff training can be carried out in-house at minimal cost. That leaves marketing, which requires a careful strategy for those who want to offer their new services to others beyond their patients of record.

Most dentists learn early in their career that a personal recommendation made by a satisfied patient can do more for their bottom line than any marketing campaign. Dental appointments top the list of the average person's least-favorite activities, so having a patient refer a friend is an exceptional honor. Indeed, the dentist-patient relationship is a unique and special one, with few if any analogues.

Our patients trust our professional skills in diagnosing their problems and delivering their treatment safely



and effectively. They also trust our advice on matters that are purely esthetic, such as matching a shade or choosing the shape of a crown. We know our patients' faces better than anyone else (except perhaps their spouses). Who better, then, to matter-of-factly suggest a minimally invasive procedure to smooth the lines around their mouth (ie, nasolabial folds) that add years to their appearance? Especially considering many of these patients may otherwise never seek such treatment.

This strategy will obviously take time and patience, but you can use that time to improve your skills through practice on staff, family, and friends. In the beginning, you will want to focus on patients who are more likely to feel comfortable if the procedure takes longer than expected or requires a follow-up to add more filler. The same discretion was required when you first opened your dental practice. The advantage today is that you have a whole practice of patients who already respect and trust you.

CONCLUSION

If you ultimately decide to incorporate cosmetic dermal filler procedures into your dental practice, you cannot hope to be successful unless you continue to deliver the same high quality of care, and that requires training and knowledge. This unique book was written by dentists for dentists; it recognizes and builds on the practicing dentist's knowledge in areas of overlap, such as head and neck

facial musculature, anesthesia, and managing patient expectations. In areas that fall outside the scope of dentistry, it takes a more comprehensive approach. Thus, in addition to providing step-by-step instructions for performing dermal filler procedures to address simple, moderate, and advanced conditions, the book includes chapters on the physicochemical properties of commercial fillers, standard injection protocols, facial esthetic analysis, adverse effects and potential complications, locating specific dermal planes, and other critical concepts.

Expanding your practice to include facial esthetic treatment can be a catalyst for positive change and bring many rewards, such as the unfamiliar pleasure of witnessing your patients' enthusiasm and excitement on the day they present for their new treatment.

REFERENCES

1. American Society of Plastic Surgeons. 2018 Plastic Surgery Statistics Report. <https://www.plasticsurgery.org/documents/News/Statistics/2018/cosmetic-procedure-trends-2018.pdf>. Accessed 21 April 2020.
2. Accreditation Council for Graduate Medical Education. ACGME Program Requirements for Graduate Medical Education in Dermatology. https://www.acgme.org/Portals/0/PFAs-sets/ProgramRequirements/080_Dermatology_2019.pdf?ver=2019-06-13-071913-123. Accessed 21 April 2020.
3. American Academy of Facial Esthetics. Dentists doing Botox? It's about time! <https://www.facialesthetics.org/blog/dentists-botox-time/>. Accessed 21 April 2020.




INDEX

Page references followed by “f” denote figures; “t” denote tables; and “b” denote boxes.

A

- Acellular dermal matrix, 4t
- Acetaminophen, 52
- Acne scars. *See* Scars.
- Acute infection, 35, 35f
- Adverse effects/events. *See also* Complications; Side effects.
 - causes of, 29
 - FDA data regarding, 29
 - patient education about, 29
- AFT. *See* Autologous fat transfer.
- AGA. *See* Androgenetic alopecia.
- Aging
 - facial, 46f, 49, 57f, 70f
 - facial asymmetry caused by, 47
 - intrinsic, 5
 - static wrinkles caused by, 46f
 - treatment costs for, 6t–7t
 - visible effects of, 5, 5f
- Alcohol, 14, 51
- Allergic edema, 31f
- Allergic reactions, 51
- Allofill, 26
- Amoxicillin, 35
- Amoxicillin plus clavulanic acid, 37
- Analgesia, stimulation-induced, 12
- Androgenetic alopecia, 60, 60f
- Anesthesia
 - for atrophic scars, 125, 126f
 - for chin augmentation, 99–100, 101f
 - as complication, 38
 - cooling therapy, 11–12, 12f
 - for extended mental crease, 108, 109f
 - for frown lines, 119–120, 121f
 - for lower lip
 - body, 153
 - border, 134–135, 141f
 - for malar augmentation, 113–114, 115f
 - for marionette lines, 88, 90f
 - for mental crease, 94, 95f
 - extended, 108, 109f

- for microneedling, 62
 for nasolabial folds, 80, 81f
 noninvasive techniques for, 11–14, 12f–13f, 13t–14t
 for philtrum, 165, 166f
 for tear troughs, 184, 186f
 topical. *See* Topical anesthesia.
 for upper lip
 body, 153, 155f
 border, 134–135, 136f
- Anesthesia injections
 administration of, 16f
 anatomy involved in, 15, 15f
 complications of, 15, 15b
 local infiltration method for, 15–17, 16f
 ring blocks for. *See* Ring blocks.
 in tear trough region, 16f
 timing of, 15
 vibration anesthesia with, 12, 13f
- Angioedema, 30–31, 31t, 32f
- Angular artery, 34f
- Anticoagulants, 30, 51
- Antihistamines, 52
- Antiseptics, 35
- Arnica montana, 52, 52f
- Arteries, of face, 34f. *See also specific artery.*
- Aspirin, 51
- Atrophic scars
 description of, 59, 59f
 injection technique for, 125–126, 126f–131f
- Autologous fat transfer, 26–27
- B**
- Bellafill
 description of, 22t
 illustration of, 27f
 skin allergy test before using, 30
- Belotero Balance, 21t, 23, 24f, 25t
- Benzocaine, 13t, 17
- Biodegradability, 19–20
- Biodegradable fillers, 20
- Biodegradable particles, 20
- Biofilm, 38
- Blepharoplasty, 6t
- BLT plus, 13, 13t
- Body dysmorphic disorder, 45
- Body language, 45
- Botox/botulinum toxin
 advantages of, 3
 cost of, 7t
 of depressor anguli oris muscle, 88
 development of, 5
 FDA approval of, 5
 of mentalis muscle, 93
 popularity of, 4t
 wrinkles treated with, 22, 46f
- Botox Cosmetic, 3, 5
- Boxcar scars, 59, 59f
- Bromelain, 52, 52f
- Bruising
 from dermal filler injections, 30, 30f, 32f, 51
 from microneedling, 65–66
- Buccal nerve, 15, 15f
- Bumps, 30
- CaHA. *See* Calcium hydroxyapatite.
- Calcium hydroxyapatite, 24, 26
- Calcium hydroxyapatite fillers
 advantages of, 24, 26
 commercial products, 22t
 cost of, 4t
 longevity of, 26
 Cannula technique, 75, 75f
- Cell-mediated hypersensitivity reactions, 36
- Cheek implants, 6t
- Chemical peels, 7t, 37
- Chin augmentation
 cost of, 6t
 indications for, 99
 injection technique for, 99–100, 101f–106f
- Chronic infection, 35, 38
- Ciprofloxacin, 35
- Clarithromycin, 35, 38
- Classification, of dermal fillers, 19–20, 21t–22t
- Clinician. *See also* Dentist.
 follow-up by, 52
 patient and, information sharing between, 54
 perceptions of, 48
- Collagen
 hyaluronic acid and, similarities between, 23
 polymethylmethacrylate microspheres in, 27
 production of, 6f
- Collagen fillers, 22
- Collagen induction therapy. *See* Microneedling.
- Complications
 causes of, 39
 delayed-onset
 biofilm, 38
 chronic infection, 38
 definition of, 29
 foreign-body granuloma, 39
 list of, 30t, 52–53
 nodules, 38–39
 early-onset
 anesthesia, 38
 definition of, 29
 dysesthesia, 38
 hyperpigmentation, 37, 37f
 hypersensitivity, 36
 infection, 35f, 35–36
 list of, 30t
 nodules, 36–37
 papules, 36f, 36–37
 paresthesia, 38
 FDA data regarding, 29
 immediate-onset
 aftercare to prevent, 51–52
 angioedema, 30–31, 31t, 32f
 bruising, 30, 30f, 32f, 51
 definition of, 29
 edema, 30
 hypersensitivity reactions, 30–31, 31f, 31t
 injection site reactions, 30, 30f
 list of, 30t, 52
 vascular occlusion/compromise, 32–34, 33f–34f, 34b
 patient education about, 29, 53
- Compounding pharmacy, 13, 62, 63f
- Consent form, 53f, 54
- Consultation. *See* Esthetic consultation.



Contact cooling devices, 12, 12f
Continuing education, 8
Contraindications, 49b, 79b, 107b, 134b
Cooling therapy, 11–12, 12f
Copper peptide, 52, 52f
Cosmetic history, 44–45
Cross-linking, 23–24
“Crow’s feet,” 46f
Cupid’s bow, 148f, 153, 155f, 164

D

Delayed-onset complications
 biofilm, 38
 chronic infection, 38
 definition of, 29
 foreign-body granuloma, 39
 list of, 30t, 52–53
 nodules, 38–39
Dental licensing boards, 8
Dental practice
 esthetic facial therapy added to, 9–10
 return on investment for, 9–10
Dentist. *See also* Clinician.
 continuing education for, 8
 demeanor of, 11
Depot injections
 for chin augmentation, 100, 102f–105f
 indications for, 75
 for malar augmentation, 114, 115f–118f
 technique for, 73, 74f
Depressor anguli oris muscle, 88
Dermabrasion, 4, 6t
Dermal filler(s)
 advantages of, 3, 4f
 areas targeted by, 5, 5f
 classification of, 19–20, 21t–22t
 contraindications for, 49b, 79b, 107b, 134b
 costs of, 4
 duration of results, 52
 FDA approval of, 5
 gel consistency of, 76
 ideal properties of, 20b
 injection of. *See* Injection(s).
 lidocaine added to, 13
 mechanism of action, 6, 8, 20, 20f, 21t–22t
 off-label uses of, 20
 patient demographics, 4
 popularity of, 3, 4t
 profitability of, 9
 selection of. *See* Selection.
 static wrinkles treated with, 5, 5f–6f
Dermal microneedling. *See* Microneedling.
Dermal necrosis, 32, 33f
Dermatologists, 9
Dermis, 69, 70f
Dimethyl sulfoxide, 13, 62
DMSO. *See* Dimethyl sulfoxide.
Dorsal nasal artery, 34f
Dynamic wrinkles
 description of, 5, 5f
 static wrinkles versus, 46f
Dysesthesia, 38
Dysport, 3

Ear surgery, 6t
Early-onset complications
 anesthesia, 38
 definition of, 29
 dysesthesia, 38
 hyperpigmentation, 37, 37f
 hypersensitivity, 36
 infection, 35f, 35–36
 list of, 30t
 nodules, 36–37
 papules, 36f, 36–37
 paresthesia, 38
Ecchymosis, 12, 30
Edema
 allergic, 31f
 angioedema, 30–31, 31t, 32f
 lip, 172
 perioral, 172
 postinjection, 30, 35f
Elastin, 6f, 57–58
Embolism, 32
EMLA, 13t
Epidermis, 58f, 69, 70f
Epinephrine, lidocaine with, 15, 17
Erythema, 65–66, 66f
Esthetic analysis, 45–48
Esthetic consultation
 cosmetic history, 44–45
 definition of, 41
 medical history, 42–44, 42f–43f
 objectives of, 41
 patient evaluation during, 41
 pretreatment and posttreatment photographs, 44, 44f
Ethical considerations, 9
Ethyl chloride, 12, 12f
Extended mental crease, 108, 109f–113f
Eyelid surgery, 4t, 6t

F

Face
 age-related changes of, 46f, 49, 57f
 arteries of, 34f
 asymmetry of, 47
 flushing of, 52
 sensory nerves of, 15, 15f
 skin of, 69–71, 70f
Facelift
 cost of, 6t
 popularity of, 3, 4t
Facial analysis
 facial asymmetry identified during, 47
 wrinkle assessments, 49t, 49–51, 50f
Facial artery, 34f
Facial contour, 35f
Facial rejuvenation. *See also specific procedure.*
 definition of, 3, 4f
 obstacles to, 8–9
 pain control in, 11
 profitability of, 9
 treatments included in, 3
Fanning injections
 for atrophic scars, 128f, 130f
 for chin augmentation, 99

for extended mental crease, 108, 110f–111f
 for marionette lines, 89, 91f–92f
 for nasolabial folds, 84f, 86f–87f
 for tear troughs, 192f
 technique for, 72–73, 72f–73f
 triangular pattern, 73

FDA. *See* Food and Drug Administration.

Fluorescent in situ hybridization, 38

5-Fluorouracil, 39

Flushing of face, 52

Folds

definition of, 46f

nasolabial. *See* Nasolabial folds.

simplified wrinkle assessment tool for, 49t

Follow-up, 52

Food and Drug Administration

adverse effects/events data, 29

Botox approval by, 5

dermal filler approval by, 5

hyaluronic acid filler approval by, 23

poly-l-lactic acid filler approval by, 26

wrinkle severity rating scale use by, 49, 49t

Forehead lift, 6t

Forehead lines, 46f

Foreign-body granuloma, 39

Forms

consent, 53f, 54

medical history, 42f–43f

treatment planning, 47f–48f

Frown lines, 119–120, 120f–125f

G

Gate control theory of pain, 12

Gell and Coombs classification, of hypersensitivity reactions, 31t

Glabellar rhytids. *See* Frown lines.

Granuloma, foreign-body, 39

H

Hair loss, 60, 60f

Herbal supplements, 51

Herpes simplex virus

pretreatment instructions, 51

prophylactic therapy for, 51, 62

reactivation of, 35, 35f

Herpes zoster, 51

History-taking

cosmetic history, 44–45

medical history, 42–44, 42f–43f

red flag history, 45, 45f

social history, 45

Human-derived collagen, 22

Hyaluronic acid

collagen and, similarities between, 23

definition of, 62

epidermal, 62

microneedling and, 55, 62, 65

properties of, 23

Hyaluronic acid fillers

advantages of, 22

commercial products, 21t, 23, 23f–24f

complications of

hypersensitivity, 30

papules, 36f

swelling, 30

cost of, 4t

ease of use, 76



approval of, 23

hyaluronic acid concentrations in, 25t

popularity of, 23f

Tyndall effect with, 37, 37f

Hyaluronidase

foreign-body granulomas treated with, 39

hyaluronic acid reversal using, 22, 34, 36–38, 37f, 76

Hydroquinone, 37

Hyperpigmentation

microneedling for, 58, 58f

postinflammatory, 37, 37f

reactive, 12

Hypersensitivity reactions

early-onset, 36

immediate-onset, 30–31, 31f, 31t

Hypertrophic scars, 59, 59f

Hypodermis, 69, 70f

I

Ice packs, 12, 51

Ice pick scars, 59, 59f, 125

Immediate-onset complications

aftercare to prevent, 51–52

angioedema, 30–31, 31t, 32f

bruising, 30, 30f, 32f, 51

definition of, 29

edema, 30

hypersensitivity reactions, 30–31, 31f, 31t

injection site reactions, 30, 30f

list of, 30t, 52

vascular occlusion/compromise, 32–34, 33f–34f, 34b

Immunoglobulin E-mediated immune response, 31

Infection

acute, 35, 35f

biofilm as cause of, 38

chronic, 35, 38

early-onset, 35f, 35–36, 36b

prevention of, 36b

Inflammation phase, of wound healing, 56, 57f

Infraorbital foramen, 17

Infraorbital nerve, 15, 15f, 38, 174f

Injection(s). *See also specific procedure, injection technique for.*

anesthesia for. *See* Anesthesia.

cannula technique, 75, 75f

depot. *See* Depot injections.

depth of, 70–71

fanning. *See* Fanning injections.

layering, 74, 74f

linear thread. *See* Linear thread injections.

precautions for, 76, 76b

reactions at site of, 30, 30f

tips for, 76

Injection lipolysis, 7t

Instructions, 51

Insurance, 8–9

Intense pulsed light, 7t

Intrinsic aging, 5

IPL. *See* Intense pulsed light.

J


Juvéderm Ultra Plus XC, 21t, 23, 24f, 25t

Juvéderm Ultra XC, 21t, 23, 24f, 25t

Juvéderm Volbella XC, 21t, 23, 24f, 25t

Juvéderm Vollure XC, 21t, 23, 24f, 25t

Juvéderm Voluma XC, 21t, 23, 24f



L

Labiomental crease. *See* Mental crease.

Laser hair removal, 7t

Laser resurfacing

cost of, 7t

microneedling versus, 57–58, 58f

Lateral nasal artery, 34f, 80

Layering injections, 74, 74f

Legal considerations, 8–9

Lidocaine

with epinephrine, 15, 17

injectable, 15, 17

with prilocaine, 13t

Radiesse with, 26

ring block injection of, 17, 17f

topical, 13, 13t–14t

Line(s)

definition of, 46f

frown, 119–120, 120f–125f

lip. *See* Lip lines.

marionette. *See* Marionette lines.

Linear thread injections

for atrophic scars, 127f

for extended mental crease, 110f, 112f–113f

for frown lines, 122f, 124f–125f

indications for, 75

for lip lines, 175f–179f, 181f

of lower lip

body, 160f–161f, 164f

border, 142f–147f

for marionette lines, 90f, 92f

for mental crease, 96f, 98f

for nasolabial folds, 82f–83f, 85f–86f

of philtrum, 167f, 170f

retrograde deposition technique for, 71

technique of, 71, 71f

of upper lip

body, 156f–157f, 163f

border, 137f–139f, 148f–149f

Lip(s)

augmentation of, 6t

lower. *See* Lower lip.

precautions for, 133

reduction of, 6t

ring block for, 18, 18f, 133, 141f, 159f, 173, 174f

upper. *See* Upper lip.

Lip body

lower, 154, 159f–162f, 164f

upper, 153–154, 154f–158f, 163f

Lip border

definition of, 134

injection technique for, 134–135, 136f–152f

lower, 134–135, 141f–147f, 150f–152f

precautions for, 134

upper, 134–135, 136f–140f, 148f–149f

Lip lines

anesthesia for, 173

description of, 172

injection technique for, 172–173, 174f–183f

ring block of, 173, 174f

Lipoderm, 13, 62

Lipofilling, 26

LMX4, 13, 13t

Local anesthesia. *See* Anesthesia.

Local infiltration, 15–16, 16f

fillers

autologous fat, 26–27

calcium hydroxyapatite. *See* Calcium hydroxyapatite fillers.

commercial list of, 22t

longevity of, 19

platelet-rich plasma, 26–27, 27f

poly-L-lactic acid. *See* Poly-L-lactic acid fillers.

Longevity, 19

Lower lip

body of, 154, 159f–162f, 164f

border of, 134–135, 141f–147f, 150f–152f

ring block of, 18, 18f, 141f, 159f

Lumps, 30, 36–37, 37f

M

Malar augmentation

costs of, 6t

injection technique for, 113–114, 114f–119f

nasolabial fold treatment with, 80

Male-pattern baldness, 60

Malpractice insurance, 8–9

Marionette lines

assessment of, 49–50, 50f

description of, 88

injection technique for, 88–89, 89f–93f

scoring of, 50f

Maturation phase, of wound healing, 56, 57f

Medical history, 42–44, 42f–43f

Mental crease

assessment of, 49–50, 51f

description of, 93

extended, 108, 109f–113f

injection technique for, 93–94, 95f–99f

scoring of, 51f

Mental foramen, 18

Mental nerve, 15, 15f

Mentalis muscle, 93

Mentoplasty, 6t

Methemoglobinemia, 14t

Microcannula, 75, 75f

Microdermabrasion, 7t

Microinjuries, 56–57, 56f–57f

Microneedling

adjuncts with, 62

advantages of, 66

anesthesia for, 62

applications of, 55, 57–60, 57f–60f

at-home treatments after, 66

clinical preparation for, 63

cold sores caused by, 62

consumer model, 61

definition of, 55

dermal fillers versus, 55

device selection, 60–62

erythema caused by, 65–66, 66f

hair loss treated with, 60, 60f

hyaluronic acid with, 55, 62, 65

hyperpigmentation treated with, 58, 58f

laser resurfacing versus, 57–58, 58f

mechanism of action, 56f, 56–57

microinjuries caused by, 56–57, 56f–57f

needle count and length, 61f, 61–62

pens, 61, 61f

platelet-rich plasma with, 55, 60, 62, 65

posttreatment procedures for, 65–66

- procedures for, 63–65, 64f–65f
 professional model, 61
 rollers
 diagonal pattern for, 63, 65f
 horizontal pattern for, 63, 64f
 nose technique, 64
 philtrum technique, 64
 selection of, 61, 61f
 technique for, 63–65, 64f–65f
 vertical pattern for, 63, 64f
 scars with, 59f, 59–60
 side effects of, 65–66, 66f
 technique for, 63–65, 64f–65f
 topical anesthesia for, 14
 wrinkles treated with, 57f, 57–58, 64
 Minimally invasive procedures, 3–4, 4f
 Minoxidil, 60
- N**
- Nasal artery, 34f, 80
 Nasolabial folds
 assessment of, 49–50, 50f
 injection technique for, 80–81, 81f–87f
 malar augmentation with, 80
 scoring of, 50f
 Neck lift, 6t
 Neocollagenesis, 26
 Neurotoxins. *See also* Botox/botulinum toxin.
 advantages of, 3, 4f
 areas targeted by, 5, 5f
 costs of, 4
 dynamic wrinkles treated with, 5, 5f
 patient demographics, 4
 popularity of, 3, 4t
 wrinkles treated with, 5, 5f, 22
 Nodules, 36–39
 Nondegradable fillers, 20
 Nonsteroidal anti-inflammatory drugs, 51
 Nose
 microneedling roller application to, 64
 necrosis of, 33f, 34
 reshaping of, 4t, 6t
 Numbness, 38
- O**
- Omega-3 cream, 66
 Ophthalmic artery, 34, 34f
 Otoplasty, 6t
 Overfill, 30
- P**
- Pain
 gate control theory of, 12
 nerve transection as cause of, 38
 Pain control
 cooling therapies for, 11–12, 12f
 importance of, 11
 postoperative, 52
 topical anesthesia for, 13t–14t, 13–14, 14f
 vibration for, 12, 12f–13f
 Papules, 36f, 36–37
 Paresthesia, 38
 Patient(s)
 areas of concern identified by, 45, 45f
 age of, 45
 clinical and, information sharing between, 54
 clinician's perceptions in agreement with, 48
 demographics of, 4
 expectations of, 41, 45f
 motivation for seeking treatment, 45, 45f, 53
 psychologic evaluation of, 41
 screening of, 45, 45f
 Patient education
 about complications, 29, 53
 about treatment options, 41
 Pelleve, 7t
 Pens, microneedling, 61, 61f
 Perioral rhytids. *See* Lip lines.
 Permanent fillers
 description of, 27
 longevity of, 19
 Personality disorder, 45
 Phenylephrine, 14
 Philtral columns, 164, 172f
 Philtrum
 anesthesia of, 165, 166f
 definition of, 164
 injection technique for, 165, 166f–172f
 microneedling roller application to, 64
 ring block of, 165, 166f
 Photographs, 44, 44f, 46
 Platelet-rich plasma
 application of, 27f
 cost of, 4t
 development of, 62
 mechanism of action, 62
 microneedling and, 55, 60, 62, 65
 properties of, 26–27
 venipuncture for harvesting of, 27, 27f
 PLLA. *See* Poly-l-lactic acid.
 Poly-l-lactic acid, 4t, 26
 Poly-l-lactic acid fillers
 commercial types of, 22t, 25f
 FDA approval of, 26
 longevity of, 26
 Polymethylmethacrylate microspheres
 commercial products, 22t
 cost of, 4t
 description of, 27
 Postinflammatory hyperpigmentation, 37, 37f
 Posttreatment photographs, 44, 44f
 Povidone-iodine, 35
 Practical considerations, 9
 Pretreatment photographs, 44, 44f
 Proliferation phase, of wound healing, 56, 57f
 PRP. *See* Platelet-rich plasma.
 Pyrosequencing, 38
- R**
- Radiesse, 22t, 25f, 26
 Radiesse Plus, 22t, 25f, 26
 Reactive hyperpigmentation, 12
 Real-time polymerase chain reaction, 38
 Red flag history, 45, 45f
 Restylane, 21t, 23, 23f
 Restylane Defyne, 21t, 23, 23f, 25t
 Restylane Lyft, 21t, 23, 23f, 25t
 Restylane Refyne, 21t, 23, 23f, 25t
 Restylane Silk, 21t, 23, 23f, 25t



- Retinal artery, 34
Retrograde deposition technique, 71
Return on investment, 9–10
Revanesse Versa, 21t, 23f, 25t
Revanesse Versa Plus, 21t
RHA 2, 21t, 24f, 25t
RHA 3, 21t, 24f, 25t
RHA 4, 21t, 24f, 25t
Rhinoplasty, 4
Rhytidectomy. *See* Facelift.
Rhytids. *See* Wrinkle(s).
Ring blocks
 injection site for, 17
 lip lines, 173, 174f
 lower lip, 18, 18f, 141f, 159f
 overview of, 16–17
 philtrum, 165, 166f
 upper lip, 17, 17f, 136f, 155f
Rollers, microneedling
 diagonal pattern for, 63, 65f
 horizontal pattern for, 63, 64f
 nose technique, 64
 philtrum technique, 64
 selection of, 61, 61f
 technique for, 63–65, 64f–65f
 vertical pattern for, 63, 64f
Rolling atrophic scars, 59, 59f
- S**
- Scars
 atrophic, 59, 59f, 125–126, 126f–131f
 boxcar, 59, 59f
 hypertrophic, 59, 59f
 ice pick, 59, 59f, 125
 injection technique for, 125–126, 126f–131f
 microneedling for, 59f, 59–60
 rolling, 59, 59f
Screening process, 45, 45f
Sculptura Aesthetic, 22t, 25f, 26
Selection, of fillers
 biodegradability classification, 19–20
 importance of, 19
 long-acting fillers. *See* Long-acting fillers.
 longevity classification, 19
 mechanism of action classification, 20, 20f, 21t–22t
 short-acting fillers. *See* Short-acting fillers.
Sensory nerves, 15, 15f
Short-acting fillers
 collagen, 22
 commercial list of, 21t
 hyaluronic acid. *See* Hyaluronic acid fillers.
 longevity of, 19
Side effects. *See also* Adverse effects/events; Complications.
 of dermal fillers, 52–53
 of microneedling, 65–66, 66f
Simplified wrinkle assessment tool, 49t, 49–51, 50f–51f
Skin
 assessment of, 42–44, 44f
 facial, 69–71, 70f
 gender differences, 70
 hyperpigmentation of. *See* Hyperpigmentation.
 laser resurfacing of, 7t
 layers of, 46f, 56f, 69, 70f
 medical history-taking about, 42f–43f, 43
 nonsurgical tightening of, 7t
 allergy test, 30
 social history, 45
 Soft tissue fillers, 4t
 Soft tissue ischemia, 34
 Staphylococcus aureus, 35
 State regulations, 8
 Static wrinkles
 aging as cause of, 46f
 description of, 5, 5f–6f
 dynamic wrinkles versus, 46f
 wrinkles in repose versus, 46f
 Sterile technique, 36b
 Stimulation-induced analgesia, 12
 Stimulator, 6, 6f, 20
 Streptococcus pyogenes, 35
 Sunscreen, 65
 Supplies, 80b, 134b
 SWAT. *See* Simplified wrinkle assessment tool.
 Swelling
 from dermal filler injections, 30, 51–52, 52f
 from microneedling, 66
- T**
- Tear troughs
 anesthetic administration in, 16f
 definition of, 183
 injection technique for, 183–184, 184f–194f
Temporal artery, 34f
Teosyal RHA 2, 21t, 24f, 25t
Teosyal RHA 3, 21t, 24f, 25t
Teosyal RHA 4, 21t, 24f, 25t
Tetracaine, 13t–14t
Thermage, 7t
Topical anesthesia
 anesthetic agents used in, 13t–14t
 application of, 14f
 complications of, 14t
 compounding pharmacy preparation of, 13, 62, 63f
 description of, 13–14
 for microneedling, 62
Treatment
 follow-up after, 52
 immediate aftercare, 51–52
 patient motivation for seeking, 45, 45f, 53
 pretreatment instructions, 51
Treatment plan, 51, 54
Treatment planning form, 47f–48f
Tyndall effect, 37, 37f, 183
- U**
- Ultherapy, 7t
Ultrasound, 38
Ultraviolet light rays, 57f, 57–58
Upper lip
 body of, 153–154, 154f–158f, 163f
 border of, 134–135, 136f–140f, 148f–149f
 ring block of, 17, 17f, 136f, 155f
UV. *See* Ultraviolet light rays.
- V**
- Valacyclovir, 35, 62
Valtrex. *See* Valacyclovir.
Vapocoolants, 12, 12f
Vascular occlusion/compromise, 32–34, 33f–34f, 34b

Venipuncture, 27, 27f
Vermilion lip border. *See* Lip border.
Vibration anesthesia
 description of, 12, 12f
 injections with, 12, 13f
Vitamin(s), 51
Vitamin A, 52, 52f, 66
Vitamin C, 52, 52f
Vitamin K, 52, 52f
Volumizer, 6, 8, 8f, 20

W

Wound healing, 56, 57f
Wrinkle(s)
 assessment of, 49t, 49–51, 50f



 botulinum toxin for, 22, 46f
 depression, 46f
 dynamic, 5, 5f, 46f
 folds versus, 46f
 lines versus, 46f
 microneedling for, 57f, 57–58, 64
 in repose, 46f
 static. *See* Static wrinkles.
Wrinkle severity rating scale, 49, 49t
WSRS. *See* Wrinkle severity rating scale.

Z

Zinc, 52, 52f
Zygomatic nerve block, 184f, 191f